Deficiency or inhibition of oxygen sensor Phd1 induces hypoxia tolerance by reprogramming basal metabolism

Julián Aragonés[1,2,20], Martin Schneider[1,2,19,20], Katie Van Geyte[1,2,20], Peter Fraisl[1,2,20], Tom Dresselaers[3], Massimiliano Mazzone[1,2], Ruud Dirkx[4], Serena Zacchigna[1,2], Hélène Lemieux[5], Nam Ho Jeoung[6], Diether Lambrechts[1,2], Tammie Bishop[7], Peggy Lafuste[1,2], Antonio Diez-Juan[1,2], Sarah K Harten[8], Pieter Van Noten[9], Katrien De Bock[9], Carsten Willam[7,19], Marc Tjwa[1,2], Alexandra Grosfeld[7], Rachel Navet[10], Lieve Moons[1,2], Thierry Vandendriessche[1,2], Christophe Deroose[11], Bhathiya Wijeyekoon[7], Johan Nuyts[11], Benedicte Jordan[12], Robert Silasi-Mansat[13], Florea Lupu[13], Mieke Dewerchin[1,2], Chris Pugh[7], Phil Salmon[14], Luc Mortelmans[11], Bernard Gallez[12], Frans Gorus[15], Johan Buyse[16], Francis Sluse[10], Robert A Harris[6], Erich Gnaiger[5], Peter Hespel[9], Paul Van Hecke[3], Frans Schuit[17], Paul Van Veldhoven[18], Peter Ratcliffe[7], Myriam Baes[4], Patrick Maxwell[8] & Peter Carmeliet[1,2]



PhD1 acts as an oxygen sensor and the switch between aerobic and anaerobic metabolism determining hypoxia tolerance in mouse skeletal muscle

Reference: Aragonés J, Schneider M, Van Geyte K, Fraisl P, Dresselaers T, Mazzone M, Dirkx R, Zacchigna S, Lemieux H, Jeoung NH, Lambrechts D, Bishop T, Lafuste P, Diez-Juan A, K Harten S, Van Noten P, De Bock K, Willam C, Tjwa M, Grosfeld A, Navet R, Moons L, Vandendriessche T, Deroose C, Wijeyekoon B, Nuyts J, Jordan B, Silasi-Mansat R, Lupu F, Dewerchin M, Pugh C, Salmon P, Mortelmans L, Gallez B, Gorus F, Buyse J, Sluse F, Harris RA, Gnaiger E, Hespel P, Van Hecke P, Schuit F, Van Veldhoven P, Ratcliffe P, Baes M, Maxwell P, Carmeliet P (2008) Deficiency or inhibition of oxygen sensor Phd1 induces hypoxia tolerance by reprogramming basal metabolism. Nat Genet 40:170-80.

Figures and texts slightly modified based on the recommendations of the COST Action MitoEAGLE CA15203. Doi:10.26124/mitofit:190001.v3